

A-LEVEL Physics A

PHYA5/2A: Astrophysics Mark scheme

2450 June 2014

Version: 1.0 Final

Mark schemes are prepared by the Lead Assessment Writer and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation events which all associates participate in and is the scheme which was used by them in this examination. The standardisation process ensures that the mark scheme covers the students' responses to questions and that every associate understands and applies it in the same correct way. As preparation for standardisation each associate analyses a number of students' scripts: alternative answers not already covered by the mark scheme are discussed and legislated for. If, after the standardisation process, associates encounter unusual answers which have not been raised they are required to refer these to the Lead Assessment Writer.

It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of students' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

Further copies of this Mark Scheme are available from aqa.org.uk

Copyright © 2014 AQA and its licensors. All rights reserved.

AQA retains the copyright on all its publications. However, registered schools/colleges for AQA are permitted to copy material from this booklet for their own internal use, with the following important exception: AQA cannot give permission to schools/colleges to photocopy any material that is acknowledged to a third party even for internal use within the centre.


Question	Answers	Additional Comments/Guidance	Mark	ID details
1(a)	Both focal points labelled, on the principal axis, and coincide , with fo>fe \checkmark	Accept point or length labelled. Allow single point F. Ignore labels outside the space between the two lenses.	3	
	Three <u>off-axis</u> rays through objective lens correct ✓	Rays must be off-axis to get the second mark.		
	Three rays through eyepiece correct, parallel to a construction	Construction line does not need to be drawn.		
	line. ✓	If only 2 rays drawn, or there is no principal axis, max 2.		
		objective lens light from object at infinity Fe		
		v virtual intervention image at infinity		

1(b)(i)	Using		
	$f_o + f_e = 21$	Evidence of both equations needed for the mark.	

$f_0/f_e = 210$			
Gives		_	
211 $f_e = 21$ fe = 21/211 = 0.10 m	Alternative: fo = $4410/211 = 0.10$ m If 210 used rather than 211 in substitution, max 1.	2	
and $f_o = 21 \text{ m} (20.9)$ \checkmark			
	If the correct answer is obtained by inspection, max 1.		

1(b)(ii)	Large diameter allows fainter objects to be viewed, (as the collecting power is proportional to d^2) \checkmark	Allow: more light, better collecting power, brighter image, able to see more distant objects (not just further)	2	
	Larger diameter allows better resolution(as smallest resolvable angle is proportional to 1/d)√	Allow references to more detail or clearer images for this mark. Ignore references to magnification or field of vision.		

1(c)	Diagram showing two focal points with blue focal point closer to lens than red focal p ^{oint.}	Colours must be labelled. Allow wavelengths or frequencies if correct way round	1	
		Rays need to be focused		
		Allow 1 ray for each colour if principal axis drawn and foci labelled.		
		If other colours included, they must be correct. Allow violet for blue Incident rays do not need to be parallel to the principal axis.		



2 (a)				6	
Marks awa	rded for this answer will be deterr	mined by the Quality of Written Communication (QW	/C) as well as the sta	andard of the s	cientific response.
Examiners	should also refer to the information	on on page 4 and apply a 'best-fit' approach to the n	narking.		
		d the spelling, punctuation and grammar should be stically. The answer will be assigned to one of 3 level			
0 marks	Level 1 (1–2 marks)	Level 2 (3–4 marks)	Lev	vel 3 (5–6 mar	rks)
0 marks	Level 1 (1–2 marks) Lower level (Poor to limited): 1 or 2 marks	Level 2 (3–4 marks) Intermediate level (Modest to adequate): 3 or 4 marks	Lev High level (good to	•	•
0 marks	Lower level (Poor to limited): 1	Intermediate level (Modest to adequate): 3 or 4		excellent): 5 c	or 6 marks

the answer is poorly organised and may not be relevant or coherent. There is little correct use of specialist vocabulary. The form and style of writing may be only partly appropriate. The candidate may not explain what the Big Bang theory is. They may only refer to one piece of evidence that supports the theory.	less well organised and not fully coherent. There is less use of specialist vocabulary, or specialist vocabulary may be used incorrectly. The form and style of writing is less appropriate. The candidate may only refer to two pieces of supporting evidence poorly or one in detail and the description of the big bang theory may be less complete.	specialist vocabulary correctly. The form and style of writing is appropriate to answer the question. The candidate describes the big bang theory as the Universe expanding from an extremely dense and hot point over the past 13.6 billion years. The candidate also describes the evidence from, the relative abundances of H and He and the measurement of the microwave background radiation and states they support the big bang theory. Hubble's Law may also be used to support the idea that the Universe is expanding.
 examples of the points made in the response The explanations expected in a good answer should include most of the following physics ideas 1 The universe has expanded from a single hot dense point 1 This expansion started approximately 13 billion years ago. 1 Evidence comes from the Hubble relationship and observations of the red shift of distant galaxies. 	extra information The number next to each statement suggests the in.	minimum level of answer the statement may be seen
 2 This shows that the galaxies are moving outwards from a single common point. 2 (Conclusive) evidence comes from the cosmological microwave background radiation (which disproved the steady state 		

theory)
3 This follows a black body radiation
curve which corresponds to a temperature
of 2.7 K
3 This can be interpreted as the left
over "heat" of the big bang,
Hydrogen and helium is present in
the Universe in the ratio 3:1
3 This supports the idea that a very
brief period of fusion occurred when the
Universe was very young, which is
consistent with the Big Bang theory.

2 (b)(i)	A standard candle is an object whose absolute magnitude is known. ✓	Do not allow "brightness" for absolute magnitude but allow "intrinsic brightness".	1	
		Do not allow "constant" for "known"		

2 (b) (ii)	All type 1a supernovae have same peak absolute magnitude	The measurement of the apparent	3	
		magnitude may only be implied and		
	Apparent magnitude can be measured (at this peak).	still get credit		
		Alternative using the inverse square		
	ref to m-M = 5 log (d/10)	law:		
		All type 1a supernova have some		
	or	peak intensity, I_o		
		Intensity at Earth can be measured, I		
	inverse square law	Distance, d, can be calculatd using I =		
		I_o/d^2		
		If there is no reference to the peak,		

	max 2.	

3 (a)	Apparent magnitude at a distance of 10pc	Allow "brightness"	1	
		Do not allow luminosity or		
		magnitude.		

3 (b)	Absolute magnitude from 15 to -10	Allow 15 to -15	2	
	Temperature from 50 000K to 2500K	Allow 50 000 to 3500 K		

3 (c) (i)	S at 5700 K and abs mag 5	The position of S should be consistent	1	
		with the scales on the axes. Allow ce		
		on scale		
		Allow 6000 for T		
		If labels not present, or if only correct		
		extreme values on scale, S should be		
		to the right of and below the centre.		

3 (c)(ii)	W at same abs mag as S, but further to left	Judgements on 3cii – 3civ should	1	
		be based on the position of S. If S		
		is not labelled, it should be based		
		on where S should be.		

3 (c)(iii)	X at same temperature as S but greater absolute magnitude		1	
3 (c)(iv)	Y at same abs mag or above S, on the right hand side of the diagram,		1	
3 (d)	similar power output√,	Allow luminosity for Power	3	
	but is hotter√			
	Ref to P = σAT^4 hence W must have smaller diameter than the Sun \checkmark	Answer must be supported to get the		

	mark.	

4(a)	Diagram showing Earth, Sun and star, with 1AU clearly marked, and 1 arc second angle at the star, with distance between Sun and star as one parsec.	A diagram with fewer labels can be supported by a correct statement If either the angle or base are incorrect, 1 max. Right angle does not need to be at the Sun. Triangle does not need to be a right angle Parsec could be the hypotenuse. Ignore writing if the diagram is correct. Base can be either Sun Earth, or 1AU. No diagram, 1 max.	2	
	Sun 1 AU Earth 1 pc is the distance at which 1AU subtends an angle of 1 arc second.			

4 (b) $d = 1/p$		

Allow ce for d in pc.	3	
If tan(0.002/3600) = 1AU/d used, allow ce for wrong value of 1AU.		
Allow use of tan or sin.		
	If tan(0.002/3600) = 1AU/d used, allow ce for wrong value of 1AU.	If tan(0.002/3600) = 1AU/d used, allow ce for wrong value of 1AU.

4 (c)(i)	Two components are 178 pc apart	Penalise attempts to hedge bets	1	
	or	by references to apparent		
	Distance apart too great	magnitude or class.		
	(for gravity to have any significant effect between them)			

4 (c)(ii)	More distant star will not appear to move as much as nearest star	Allow discussions involving	1	
	(against the fixed background)	parallax.		
		Give credit to correct diagram.		